

SUPAFOTO

A ONEPAGE THEME FOR OXYGEN BUILDER

[INSTALLATION](#)

[VERY IMPORTANT](#)

[CUSTOM CSS](#)

[HEADER](#)

[LOGO](#)

[HERO SECTION](#)

[ABOUT ME SECTION](#)

[SLOGAN](#)

[OTHERS SECTIONS](#)

[FINAL NOTE](#)


INSTALLATION

STEP 1

Install WORDPRESS

STEP 2


Install & Activate All-in-One WP Migration plugin : <https://wordpress.org/plugins/all-in-one-wp-migration/>



The screenshot shows the WordPress 'Add Plugins' interface. At the top, there is a search bar and a button labeled 'Upload Plugin'. Below the search bar, there are tabs for 'Search Results', 'Featured', 'Popular', 'Recommended', and 'Favorites'. The 'Search Results' tab is selected. The main content area displays a plugin card for 'All-in-One WP Migration'. The card features a circular logo with three arrows in yellow, blue, and orange. The plugin title is 'All-in-One WP Migration' in blue text. Below the title, there is a description: 'Move, transfer, copy, migrate, and backup a site with 1-click. Quick, easy, and reliable.' The developer is listed as 'By ServMask'. To the right of the description, there is a button labeled 'Active' and a link for 'More Details'. At the bottom of the card, there are two rows of information: the first row shows a 5-star rating with 5,982 reviews, and the second row shows '2+ Million Active Installations' and a green checkmark indicating 'Compatible with your version of WordPress'. The text 'Last Updated: 2 weeks ago' is also present.


STEP 3

In the All-in-One WP Migration menu, go to Import:




STEP 4

Import the **.wppress** file that was included in the package



Then press the PROCEED button:



STEP 5

When it's finished, click in the Save permalinks structure link:


Your site has been imported successfully!

- » [Save permalinks structure.](#) (opens a new window)
- » [Optionally, review the plugin.](#) (opens a new window)

[FINISH >](#)

STEP 6

You will have to enter the new username and password.
You can find them in the quick-instructions.txt file.



The image shows the WordPress login interface. At the top center is the WordPress logo, a blue 'W' inside a circle. Below the logo is a white rectangular form with a light gray border. Inside the form, there are two input fields: the first is labeled 'Username or Email Address' and the second is labeled 'Password'. Below the password field is a checkbox labeled 'Remember Me'. To the right of the checkbox is a blue button with the text 'Log In'. Below the form, there is a link that says 'Lost your password?' and a link that says '← Back to SUPAFOTO'.

STEP 7

In the Permalink Settings page, click on the **Save Changes** button:

The image shows the WordPress dashboard's 'Permalink Settings' page. The left sidebar contains navigation links: Dashboard, Posts, Media, Pages, Comments, Contact, Appearance, Plugins, Users, Tools, All-in-One WP Migration, Settings (highlighted in red), General, Writing, Reading, Discussion, Media, Permalinks, Privacy, Page scroll to id, and Collapse menu. The main content area is titled 'Permalink Settings' and includes an introductory paragraph: 'WordPress offers you the ability to create a custom URL structure for your permalinks and archives. Custom UR'. Below this is the 'Common Settings' section with radio buttons for 'Plain', 'Day and name', 'Month and name', 'Numeric', 'Post name' (selected), and 'Custom Structure'. Each option has a corresponding URL preview. The 'Post name' option shows 'http://supafototest.local/sample-post/'. The 'Custom Structure' option shows 'http://supafototest.local /%postname%/' and includes 'Available tags:' with buttons for '%year%', '%monthnum%', '%day%', '%hour%', and '%minute%'. The 'Optional' section includes instructions and input fields for 'Category base' and 'Tag base'. At the bottom left, the 'Save Changes' button is highlighted with a red rectangular box.

STEP 8

Install and activate **OXYGEN v3.0** (or more recent)

<input type="checkbox"/> Plugin	Description
<input type="checkbox"/> All-in-One WP Migration Deactivate	Migration tool for all your b Version 7.6 By ServMask V
<input type="checkbox"/> Contact Form 7 Settings Deactivate	Just another contact form p Version 5.1.4 By Takayuki M
<input type="checkbox"/> My Custom Functionality Deactivate	My custom functions. Version 1.0.0 By Your Nam
<input type="checkbox"/> Oxygen Deactivate	If you can do it with WordP Version 3.0 By Soflyy
<input type="checkbox"/> Page scroll to id Deactivate Settings Documentation	Page scroll to id is an easy-t Version 1.6.6 By malihu V
<input type="checkbox"/> Plugin	Description

STEP 9

In the Oxygen Settings, go to **CSS Cache** and click on **Regenerate**:

General
Role Manager
Post Type Manager
Security
SVG Sets
Typekit
License
CSS Cache
Bloat Eliminator
Library

Oxygen Cache

Enable CSS Caching

[Save Changes](#)

Regenerate CSS Cache

[Regenerate](#)

CSS Generation Process Started
 CSS cache generated successfully. Post ID: 5 - home
 Universal CSS cache generated successfully.
 CSS cache generated successfully. Post ID: 9 - main
 All done!

That's it, you should see this piece of art:

SUPA JOHN
**PHOTOGRAPHER
DESIGNER
CODER**



VERY IMPORTANT

1/ Change the Administrator username and password

You will all get the same so you should change all the info in the Administrator settings:

Users [Add New](#)

All (1) | Administrator (1) [Search Users](#)

Bulk Actions [Apply](#) Change role to... [Change](#) 1 item

<input type="checkbox"/>	Username	Name	Email	Role	Posts
<input type="checkbox"/>	FerrisBueller Edit View	—	Ferris@Bueller.com	Administrator	1
<input type="checkbox"/>	Username	Name	Email	Role	Posts

Bulk Actions [Apply](#) Change role to... [Change](#) 1 item

Nickname (required)

Display name publicly as

Contact Info

Email (required)

If you change this we will send you an email at your new address to confirm it. The new address will not become active until confirmed.

2/ Change the mail settings in **Contact form 1** with your real information:

Copy this shortcode and paste it into your post, page, or text widget content:
`[contact-form-7 id="29" title="Contact form 1"]`

◀ keys switch panels

Form **Mail** Messages Additional Settings

Mail

You can edit the mail template here. For details, see [Setting Up Mail](#).
In the following fields, you can use these mail-tags:
[your-name] [your-email] [your-message]


To

From

Subject

CUSTOM CSS

All the custom CSS are located in stylesheets:




Fotostyle: The custom CSS for all the elements in the page, except the form

Fotoform: The CSS for the form (Contact Form 7).

If you don't want to use Contact Form 7, you can simply delete this stylesheet.

HEADER


The header is located in a template called 'main' (the footer is also in this template):





The header was built with the Header Builder, so there is nothing special here. Except for one thing:


The Mobile menu was made with a **MODAL**.

That's why the Mobile Menu options from the Menu element will never show up as it's set to never:




The menu will be hidden (display:none) under 992px and an icon will appear instead:






It's this ICON that triggers the MODAL:



LOGO

There are actually 2 logos:



More info in this tutorial:

<https://oxygen4fun.supadezign.com/tutorials/how-to-have-a-different-logo-in-sticky-header/>

HERO SECTION




Nothing to explain here, it's just a Div with some text and a **clip-path**

```
98
99 /* HERO */
100
101 .hero-title {
102     clip-path: polygon(0% 0%, 100% 0%, 85% 100%, 0% 100%);
103 }
104
```

ABOUT ME SECTION

This section is a bit more “complicated”.

First there is an entrance animation for the photo. It was made with the **Animate On Scroll** feature and some custom CSS:




```
105
106 /* ABOUT ME */
107
108 .aboutme-photo[data-aos=fade] {
109     transform: perspective(700px) rotatex(0deg) rotatey(0deg);
110     opacity: 0;
111     transition-property: transform, opacity;
112 }
113 .aboutme-photo[data-aos=fade].aos-animate {
114     transform: perspective(700px) rotatex(10deg) rotatey(15deg);
115     opacity: 1;
116 }
```

More info in this tutorial : <https://oxygen4fun.supadezign.com/tutorials/customize-the-scroll-animation-effects/>

There is also a little effect made with the shape-outside CSS property:



It's from this Div `'myinfo'` :



```
117 .myinfo {
118   shape-outside: polygon(0 0, 0 100%, 21px 100%);
119   width: 100%;
120   height: 100%;
121   float: left;
122 }
```

Note that this Div is hidden in mobile mode :

Div (#14)    

Section > Columns > Div > Div

 class myinfo  state

 All devices

 Page container (1120px) and below

 **Less than 992px** 

 Less than 768px


 Less than 480px

flex inline-flex block inline-block


inline none

SLOGAN

The Slogan only use a Code Block, for the HTML:



And for the Javascript:



Check this tutorial for more info:

<https://oxygen4fun.supadezign.com/tutorials/animated-heading/>

OTHERS SECTIONS

They are quite basic so there is nothing to explain. They all use the Oxygen elements with some custom CSS. If you have any problems or want to know more about them, feel free to contact me

FINAL NOTE

All the images come from <https://www.pexels.com/>

Theme made with **OXYGEN BUILDER**

Design by MICHAEL THOMAS aka SUPAMIKE

www.supadezign.com

www.dezign4fun.com